

FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8A

```
mount romfs 0x500000 ROM 0
mount romfs 0x800000 ROM 1
exec -2 /bin/Ⓐ
exec -5 /bin/Ⓑ
exec -3 /bin/Ⓒ
```

FIG.8B

```
exec -2 /bin/Ⓓ
exec -3 /bin/Ⓔ
```

FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG. 15




FIG.16




FIG.17




FIG.18

■ SYSTEM SETTING		USE RESTRICTION, YES/NO	AUTHENTICATION MODE
COPY		YES	STANDARD
SCANNER		YES	ADDITIONAL
FAX		NO	-
ADDITIONAL APPLICATION 1	YES		ADDITIONAL
ADDITIONAL APPLICATION 2	YES		STANDARD

FIG.19





FIG.20

AUTHENTICATION SCREEN A



The image shows a rectangular form representing an authentication screen. Inside, there are two lines of text: "USER-CODE:" followed by a redacted input field, and "PASSWORD:" followed by another redacted input field.

USER-CODE:	[REDACTED]
PASSWORD:	[REDACTED]

FIG.21




FIG.22




FIG.23

AUTHENTICATION SCREEN B

The screenshot shows the "AUTHENTICATION SCREEN B" with the following fields and options:

- USER-CODE:** A text input field containing a redacted code.
- PASSWORD:** A text input field containing a redacted password.
- SELECTION OF SECTION:** A row of five small icons representing different sections or functions.

FIG.24




FIG.25

